

ULTIMATE

Industrial Air Tools



Serving All Industries

- Marine
- Automotive
- Assembly
- Rental
- Construction
- Mining

ULTIMATE

Distributors for:



SPITZNAS

AV AirVANTAGE TOOLS

www.ultimatetools.com.au

Model:URW103A

ULTIMATE

Stubby Ratchet Wrench 3/8" Square Drive

Features: This ratchet wrench contains ball and needle construction for long life. It has hardened steel gears, reversible action and a durable ratchet head. Its application is ideal for small engine repairs, water pumps, radiators and air conditioning units. Ideal for use in limited work areas.

Square drive.....	3/8
Free Speed.....	250 rpm
Torque Range.....	25 ft.-lbs
Hose size.....	3/8
Air Inlet.....	1/4
Length	162mm
Weight.....	0.5 kg
Air Pressure.....	90 psi



Model:URW107A

ULTIMATE

Ratchet Wrench 3/8" Square Drive

Features: This ratchet wrench contains ball and needle construction for long life. It has hardened steel gears, reversible action and a durable ratchet head. Its application is ideal for small engine repairs, water pumps, radiators and air conditioning units.

Square drive.....	3/8
Free Speed.....	175rpm
Torque Range.....	50 ft.-lbs
Hose size.....	3/8
Air Inlet.....	1/4
Length	265mm
Weight.....	1.17kg
Air Pressure.....	90 psi



Model:URW207A

ULTIMATE

Ratchet Wrench 1/2" Square Drive

Features: This ratchet wrench contains ball and needle construction for long life. It has hardened steel gears, reversible action and a durable ratchet head. Its application is ideal for small engine repairs, water pumps, radiators and air conditioning units.

Square drive.....	1/2
Free Speed.....	175rpm
Torque Range.....	50 ft.-lbs
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	265mm
Weight.....	1.17kg
Air Pressure.....	90 psi



Model:UIW107

ULTIMATE

Impact Wrench Butterfly 3/8" Square Drive

Features: This compact impact Wrench is easily maneuverable for hard to reach places. Rugged and lightweight aluminium housing. Equipped with swivel air inlet and built-in regulator. Butterfly trigger for better speed control.

Square drive.....	3/8	Air Inlet.....	1/4
Free Speed.....	10000rpm	Length.....	165mm
Torque Range.....	100 ft.-lbs	Weight.....	1 kg
Hose size.....	3/8	Air Pressure.....	90 psi



Model:UIW260

ULTIMATE

Impact Wrench 1/2" Square Drive

Features: This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, a protective rubber nose guard and reversible action. Its application is ideal for major automotive service work, body shops, farm, trucking and **is suitable for underground use**.

Square drive.....	1/2
Free Speed.....	7500 rpm
Torque Range.....	50-600 ft.-lbs
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	190mm
Weight.....	2kg
Air Pressure.....	90 psi



Model:UIW278

ULTIMATE

Impact Wrench 3/4" Square Drive

Features: This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, steel front nose cone and reversible action. Its application is ideal for major automotive service work, body shops, farm, trucking and **is suitable for underground use**.

Square drive.....	3/4
Free Speed.....	5500rpm
Torque Range.....	200-1100 ft.-lbs
Hose size.....	1/2
Air Inlet.....	1/2
Length.....	230mm
Weight.....	4kg
Air Pressure.....	90 psi



Model: UIW260L

ULTIMATE

Impact Wrench 1/2" Square Drive 2" Extended Anvil

Features: This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, a protective rubber nose guard and reversible action. Its application is ideal for major automotive service work, body shops, farm, trucking and **is suitable for under ground.**



Square drive.....	1/2
Free Speed.....	7500rpm
Torque Range.....	50-550 ft.-lbs
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	230mm
Weight.....	2kg
Air Pressure.....	90 psi

Model: UIW278L

ULTIMATE

Impact Wrench 3/4" Square Drive 6" Extended Anvil

Features: This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, all steel front nose cone and reversible action. Its application is ideal for major automotive service work, body shops, farm, trucking and **is suitable for underground.**



Square drive.....	3/4
Free Speed.....	5500rpm
Torque Range.....	200-1050 ft.-lbs
Hose size.....	1/2
Air Inlet.....	1/4
Length.....	300mm
Weight.....	4kg
Air Pressure.....	90 psi

Model: UIW350

ULTIMATE

Impact Wrench 1" Square Drive

Features: This impact wrench has twin hammer mechanism which reaches maximum torque fast with low vibration. It has a built-in power regulator, all steel front nose cone and reversible action. Its application is ideal for major automotive service work, body shops, farm, trucking and **is suitable for under ground.**



Square drive.....	1"
Free Speed.....	5500rpm
Torque Range.....	200-1100 ft.-lbs
Hose size.....	1/2
Air Inlet.....	1/4
Length.....	240mm
Weight.....	5kg
Air Pressure.....	90 psi

Model: USD1879

ULTIMATE

Screwdriver - With External Adjustable Clutch

Features: This general purpose screwdriver features a unique handle design allowing low grip to reduce reaction strain or high grip to allow high feed force. It is fitted with a soft ergonomic grip giving the tool a comfortable feel. The slip clutch makes it suitable for an extensive range of applications including assembly line production.




Screw Capacity.....	1/4
Free Speed.....	800rpm
Torque Range.....	5-70Nm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	180mm
Weight.....	1.3kg
Air Pressure.....	90 psi

Model: USD1379

ULTIMATE

Screwdriver - With External Adjustable Clutch

Features: This general purpose screwdriver features a unique handle design allowing low grip to reduce reaction strain or high grip to allow high feed force. It is fitted with a soft ergonomic grip giving the tool a comfortable feel. The slip clutch makes it suitable for an extensive range of applications including assembly line production.



Screw Capacity.....	1/4
Free Speed.....	1800rpm
Torque Range.....	3-50Nm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	200mm
Weight.....	1.3kg
Air Pressure.....	90 psi

Model: UDA217

ULTIMATE

Pistol Drill - Non - Reversible

Features: This Palm Drill is light weight and is designed to fit in the palm of the hand. Ideal for aircraft repair, automotive, marine and maintenance work.



Drilling Capacity.....	10mm
Free Speed.....	5000 rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	140mm
Weight.....	1.9kg
Air Pressure.....	90 psi

Model:UAD263

ULTIMATE

3/8 Air Drill R/Angle - Reversible - Keyless Chuck

Features: This Angle drill is designed to get into hard to reach areas where pistol types are not accessible. Durable and lightweight.



Drilling Capacity.....	10mm
Free Speed.....	1800rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	210mm
Weight.....	1.18 kg
Air Pressure.....	90 psi

Model:UDA840

ULTIMATE

3/8 Air Drill - Reversible - Keyless Chuck

Features: This Lightweight heavy-duty drill maintains high power and low air consumption. The planetary gear system promotes long life. It has reversible action trigger for speed control. The variable speed throttle is useful for ease of starting hole. Features a super quiet handle exhaust.



Drilling Capacity.....	10mm
Free Speed.....	2200rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	180mm
Weight.....	1.9kg
Air Pressure.....	90 psi

Model:UDA836

ULTIMATE

1/2" Air Drill - Reversible - Keyless Chuck

Features: This Lightweight heavy-duty drill maintains high power and low air consumption. The planetary gear system promotes long life. It has reversible action trigger for speed control. The variable speed throttle is useful for ease of starting hole. Features a super quiet handle exhaust. Equipped with side handle.



Square drive.....	12mm
Free Speed.....	500rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	200mm
Weight.....	2kg
Air Pressure.....	90 psi

Model:UDP38213

ULTIMATE

3/8 Air Drill - Reversible - Keyless Chuck

Features: This Lightweight heavy-duty drill maintains high power and low air consumption. The planetary gear system promotes long life. It has reversible action trigger for speed control. The variable speed throttle is useful for ease of starting hole. Features a super quiet handle exhaust. Suitable for underground.



Screw Capacity.....	10mm
Free Speed.....	2200rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	160mm
Weight.....	1.3Kg
Air Pressure.....	90 psi

Model:UDP12212

ULTIMATE

1/2" Air Drill - Reversible - Keyless Chuck

Features: This Lightweight heavy-duty drill maintains high power and low air consumption. The planetary gear system promotes long life. It has reversible action trigger to speed control. The variable speed throttle is useful for ease of starting hole. Features a super quiet handle exhaust. Equipped with handle. Suitable for underground.



Screw Capacity.....	12mm
Free Speed.....	500rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	170mm
Weight.....	1.4Kg
Air Pressure.....	90 psi

Model:UOS2011

ULTIMATE

6" Random Orbital Sander

Features: This Sander has been designed for superior quality finish with no swirl. The compact size light weight and low vibrating action of this sander makes it one of the leading finishing sanders on the market. Ideal applications finishing of wood and fibreglass and for removal of rust on metal surfaces.



Capacity.....	6"	Air Inlet.....	1/4
Free Speed.....	10000rpm	Length.....	210mm
Hose size.....	3/8	Weight.....	1 kg
Orbit.....	10mm	Air Pressure.....	90 psi

Model:UAS3016
High-Speed Sander

ULTIMATE

Features: This Compact perfectly balanced sander has been designed for fine detail applications. Ideal for automotive and marine industry.



Pad Size.....	.20mm	Air Inlet.....	1/4
Free Speed.....	15000rpm	Length.....	170mm
Hose size.....	3/8	Weight.....	0.80 kg
		Air Pressure.....	90 psi

Model:UAS03019
High-Speed Sander

ULTIMATE

Features: This Compact perfectly balanced sander has been designed for fine detail applications. Ideal for automotive and marine industry.



Pas Size.....	3"	Air Inlet.....	1/4
Free Speed.....	5000rpm	Length.....	170mm
Hose size.....	3/8	Weight.....	0.80 kg
		Air Pressure.....	90 psi

Model:UAS3933
3" Mini Buff

ULTIMATE

Features: This Compact perfectly balanced buff has been designed for fine detail applications. Ideal for automotive and marine industry.



Pad Size.....	3"	Air Inlet.....	1/4
Free Speed.....	3000rpm	Length.....	330mm
Hose size.....	3/8	Weight.....	1.1 kg
		Air Pressure.....	90 psi

Model:UBS10
Belt Sander 10mm

ULTIMATE

Features: This small lightweight belt sander will sand all jobs, all materials with amazing speed and ease. No surface escapes its all-surface capability. Levels and contours, even in corners. Adjustable handle rotates 360. Change belts in seconds.



Belt Size.....	10mm
Free Speed.....	17000rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	265mm
Weight.....	1.3kg
Air Pressure.....	90 psi

Model:UBS20
Belt Sander 20mm

ULTIMATE

Features: This small lightweight belt sander will sand all jobs, all materials with amazing speed and ease. No surface escapes its all-surface capability. Levels and contours, even in corners. Adjustable handle rotates 360. Change belts in seconds.



Belt Size.....	20mm
Free Speed.....	17000rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	270mm
Weight.....	1.4Kg
Air Pressure.....	90 psi

Model:UBS30
Belt Sander 30mm

ULTIMATE

Features: This small lightweight belt sander will sand all jobs, all materials with amazing speed and ease. No surface escapes its all-surface capability. Levels and contours, even in corners. Adjustable handle rotates 360. Change belts in seconds.



Belt Size.....	30mm
Free Speed.....	14000rpm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	260mm
Weight.....	1.6Kg
Air Pressure.....	90 psi

Model:UOS2012

ULTIMATE

8" Geared Sander

Features: This gear driven sander moves with positive rotation and secondary oscillating action. Fast stock removal prevents normal grinder scratch patterns. Designed for applications between grinding and finish sanding.



Pad Size.....8"	Air Inlet.....1/4
Free Speed.....9000rpm	Length.....70
Hose size.....3/8	Weight.....1kg
	Air Pressure.....90 psi

AV Air-VANTAGE TOOLS

Model:OSN-B30H

3" Palm Sander - 2.5mm orbit - non vacuum

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability Its lightweight, powerful, small, quiet and rugged.



Pad Size.....3"/80mm
Free Speed.....12000rpm
Hose size.....3/8
Air Inlet.....1/4
Length.....1.35mm
Weight.....0.78kg
Air Pressure.....90 psi

Model:OSN-60H

AV Air-VANTAGE TOOLS

6" Palm Sander - 5mm orbit - non vacuum

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability Its lightweight, powerful, quiet and rugged.



Pad Size.....6"/150mm
Free Speed.....12000rpm
Hose size.....3/8
Air Inlet.....1/4
Length.....166mm
Weight.....0.91kg
Air Pressure.....90 psi

AV Air-VANTAGE TOOLS

Model:OSC-60H

6" Palm Sander - 5mm orbit - vacuum ready

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability Its lightweight, powerful, quiet and rugged.



Pad Size.....6"/150mm
Free Speed.....12000rpm
Hose size.....3/8
Air Inlet.....1/4
Length.....206mm
Weight.....0.91kg
Air Pressure.....90 psi

Model:OSC-B60H

AV Air-VANTAGE TOOLS

6" Palm Sander - 2.5mm orbit - vacuum ready

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability Its lightweight, powerful, quiet and rugged.



Pad Size.....6"/150mm
Free Speed.....12000rpm
Hose size.....3/8
Air Inlet.....1/4
Length.....206mm
Weight.....0.91kg
Air Pressure.....90 psi

AV Air-VANTAGE TOOLS

Model:OSG-60H

6" Palm Sander - 5mm orbit - self gen vacuum

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability Its lightweight, powerful, quiet and rugged.



Pad Size.....6"/150mm
Free Speed.....12000rpm
Hose size.....3/8
Air Inlet.....1/4
Length.....221mm
Weight.....0.94kg
Air Pressure.....90 psi



AV AirVANTAGE TOOLS

LP Back - Up Pads

AirVantage Back- up pads are perfectly mated for use on the AirVantage LP. Constructed from premium, industrial- quality material and featuring a riveted fiberglass and steel hub with molded urethane, their durability and precise construction are the ideal complement to the performance of the AirVantage LP.

MADE IN U.S.A

Model:OSN-B60H

AV AirVANTAGE TOOLS

6" Palm Sander - 2.5mm orbit - non vacuum

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability. Its lightweight, powerful, quiet and rugged.

Pad Size.....6"/150mm
 Free Speed.....12000rpm
 Hose size.....3/8
 Air Inlet.....1/4
 Length.....166mm
 Weight.....0.91kg
 Air Pressure.....90 psi



AV AirVANTAGE TOOLS

Part No.	Diameter	Face	Non - Vacuum/ Vacuum
Low Profile Pads			
1230100	3.5"	Vinyl	Both
1230101	3.5"	Hook	Both
1250100	5"	Vinyl	Non - Vacuum
1250101	5"	Hook	Non - Vacuum
1250110	5"	Vinyl	vacuum
1250111	5"	Hook	Vacuum
1260100	6"	Vinyl	Non - Vacuum
1260101	6"	Hook	Non - Vacuum
1260110	6"	Vinyl	Vacuum
1260111	6"	Hook	Vacuum
Tapered Edge Pads			
Thicker/Softer			
1250300	5"	Vinyl	Non - Vacuum
1250301	5"	Hook	Non - Vacuum
1250310	5"	Vinyl	Vacuum
1250311	5"	Hook	Vacuum
1260300	6"	Vinyl	Non - Vacuum
1260301	6"	Hook	Non - Vacuum
1260310	6"	Vinyl	Vacuum
1260311	6"	Hook	Vacuum

Model:OSG-B60H

AV AirVANTAGE TOOLS

6" Palm Sander - 2.5mm orbit - self gen vacuum

Features: This Sander is Designed for fine finish work. Ideal for sanding clear coat and lacquers. Heavy- duty construction for durability. Its lightweight, powerful, quiet and rugged.

Pad Size.....6"/150mm
 Free Speed.....12000rpm
 Hose size.....3/8
 Air Inlet.....1/4
 Length.....221mm
 Weight.....0.91kg
 Air Pressure.....90 psi



Model:UHS0518

ULTIMATE

5" High - Speed Sander

Features: This Sander is designed for finishing flat or contoured surfaces. Ideal for touch - up feather - edging and production sanding.

Pad Size.....5"/115mm
 Free Speed.....20000rpm
 Hose size.....3/8
 Air Inlet.....1/4
 Length.....110mm
 Weight.....1kg
 Air Pressure.....90 psi



Model:UDG14062**ULTIMATE****Angle Die Grinder 1/4"** - Rear swivel 360 Exhaust

Features: 1/4" die grinder features a full bearing support air motor. Equipped with lever throttle for variable speed control. Powerful right angle grinder is designed to get into hard to reach areas where straight types are not accessible.



Capacity.....1/4"	Air Inlet.....1/4
Free Speed.....22000rpm	Length.....177mm
Hose size.....3/8	Weight.....0.77 kg
	Air Pressure.....90 psi

Model:UAD14061**ULTIMATE****Die Grinder 1/4"** With Polymer Sleeve - Rear 360 swivel Exhaust

Features: 1/4" die grinder features a full bearing support air motor. Equipped with lever throttle for variable speed control. New rear exhaust directs air away from work area.



Capacity.....1/4"	Air Inlet.....1/4
Free Speed.....22000rpm	Length.....152mm
Hose size.....3/8	Weight.....0.45 kg
	Air Pressure.....90 psi

Model:UDG330**Aluminium Housing**

Capacity.....1/4"	Air Inlet.....1/4
Free Speed.....22000rpm	Length.....152mm
Hose size.....3/8	Weight.....0.45 kg
	Air Pressure.....90 psi

Model:UED14931**ULTIMATE****Die Grinder Extended 1/4"** - Rear Exhaust

Features: 1/4" die grinder features a full bearing support air motor. Equipped with lever throttle for variable speed control. New rear exhaust directs air away from work area.



Capacity.....1/4"	Air Inlet.....1/4
Free Speed.....21000rpm	Length.....325mm
Hose size.....3/8	Weight.....1.70 kg
	Air Pressure.....90 psi

Model:UAG832L**ULTIMATE****4" Angle Grinder** - With Guard

Features: Rugged, lightweight aluminium alloy housing angle grinder for many applications. Removes rust and paint fast. Great for dressing up welds and grinding complex shapes. Features safety lever throttle and governor.



Wheel not included

Capacity.....4"/100mm	Air Inlet.....1/4
Free Speed.....12000rpm	Length.....228mm
Hose size.....3/8	Weight.....1.5 kg
	Air Pressure.....90 psi

Model:UAG4032**ULTIMATE****4" Angle Grinder** - With Guard

Features: Rugged, lightweight aluminium alloy housing angle grinder for many applications. Removes rust and paint fast. Great for dressing up welds and grinding complex shapes. Features safety lever throttle and governor.



Wheel not included

Capacity.....4"/100mm	Air Inlet.....1/4
Free Speed.....13600rpm	Length.....228mm
Hose size.....3/8	Weight.....1.5 kg
	Air Pressure.....90 psi

Model:UAG5032**ULTIMATE****5" Angle Grinder** - With Guard

Features: Rugged, lightweight heavy-duty aluminium alloy housing angle grinder for many applications. Removes rust and paint fast. Great for dressing up welds and grinding complex shapes. Features safety lever throttle and governor.



Wheel not included

Capacity.....4"/115mm	Air Inlet.....1/4
Free Speed.....11000rpm	Length.....246mm
Hose size.....3/8	Weight.....1.6 kg
	Air Pressure.....90 psi

Model:UAG7033**ULTIMATE****7" Angle Grinder - With Guard**

Features: Rugged, lightweight aluminium alloy housing angle grinder for many applications. Removes rust and paint fast. Great for dressing up welds and grinding complex shapes. Features safety lever throttle and governor.



Wheel not included

Capacity.....7"180mm	Air Inlet.....1/4
Free Speed.....7600rpm	Length.....300mm
Hose size.....3/8	Weight.....2.9 kg
	Air Pressure.....90 psi

Model:UAS7033**ULTIMATE****7" Right Angle Sander**

Features: Rugged, lightweight aluminium alloy housing angle sander. Removes rust and paint fast. Great for sanding and grinding.



Capacity.....7"180mm	Air Inlet.....1/4
Free Speed.....4500rpm	Length.....320mm
Hose size.....3/8	Weight.....2 kg
	Air Pressure.....90 psi

Model:UMS3278**ULTIMATE****Metal Shear**

Features: Double - cutting action to cleanly cut 18 gauge and lighter sheet metal without distortion. Variable speed trigger provides speed control. Ideal for the roofer and auto body shop.



Capacity.....18 Gauge mild steel
Cutting Speed.....180"/min
Hose size.....3/8
Air Inlet.....1/4
Length.....280mm
Weight.....1.3kg
Air Pressure.....90 psi

Model:UCH1810**ULTIMATE****Air Hammer**

Features: This tool is ideal for front end and heavy duty automotive work as well as industrial applications. Included in the design is a vibration dampening system giving much greater comfort for extended periods of use.



Shank.....10mm
Blow Per Min.....2100bpm
Hose size.....3/8
Air Inlet.....1/4
Length.....216mm
Weight.....1.3kg
Air Pressure.....90 psi

Model:UCH1850**ULTIMATE****Air Hammer**

Features: This tool is ideal for front end and heavy duty automotive work as well as industrial applications. Included in the design is a vibration dampening system giving much greater comfort for extended periods of use.



Shank.....10mm
Blow Per Min.....1900bpm
Hose size.....3/8
Air Inlet.....1/4
Length.....220mm
Weight.....1.4kg
Air Pressure.....90 psi

Model:UFC1270**ULTIMATE****Air Flux Chipper**

Features: This tool is ideal for removal of flux, spatter and general scaling operations. Straight design is suitable for narrow and deep applications.



Blow Per Min.....4200bpm
Hose size.....3/8
Air Inlet.....1/4
Length.....216mm
Weight.....1.5kg
Air Pressure.....90 psi

Model:UNS2010
Needle Scaler

ULTIMATE

Features: Straight type durable one piece housing with 3mm needles ideal for restricted areas.



Capacity.....	1/4"
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	333mm
Weight.....	2.1kg
Air Pressure.....	90 psi

Model:USS2010
Body Saw/File

ULTIMATE

Features: Ideal for body shop repairs, muffler and exhaust work, plastic, steel and fibre glass. Lightweight slim design for cutting in confined areas. Positive blade retention with adjustable blade guide to increase blade life and set to depth of cut.



Capacity.....	3mm	Air Inlet.....	1/4
Free Speed.....	5000rpm	Length.....	180mm
Stroke Length.....	10mm	Weight.....	0.77 kg
Hose size.....	3/8	Air Pressure.....	90 psi

Model:UPR6401K
1/4" Pop Rivet Gun

ULTIMATE

Features: Heavy - duty pop riveter is a high quality pneumatic tool allowing high speed assembly production. Is able to access confined spaces and performs well at any angle.



Capacity.....	1/4"/6.4mm
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	290mm
Weight.....	1.6kg
Air Pressure.....	90 psi

Model:UPR8395
3/16" Pop Rivet Gun

ULTIMATE

Features: Lightweight powerful and durable pop riveter is a high quality pneumatic tool allowing high speed assembly production. Is able to access confined spaces and performs well at any angle.



Capacity.....	3/16" 5mm aluminum
	4mm stainless steel
Hose size.....	3/8
Air Inlet.....	1/4
Length.....	220mm
Weight.....	1kg
Air Pressure.....	90 psi

Model:UGG6201
Grease Gun 450- Gram Cartridges

ULTIMATE

Features: This pistol - type pneumatic grease gun allows continuous operation and offers high pressure performance. It features a heavy duty cartridge spring for prime retention and a unique air piston design ensuring self priming.



Cartridge Size.....	450gram
Hose size.....	3/8
Air Inlet.....	1/4
Air Pressure.....	90 psi

Model:UDG10
Air Blow Gun

ULTIMATE

Features: This lightweight air blower is heavy duty aluminum designed for cars, trucks and the marine industry.



Model:UDG4N10

Air Blow Gun

ULTIMATE

Features: This lightweight long nose air blower is designed for cars, trucks and the marine industry.



Model:UDG4N

Model:UTB4206

Tyre Buffer

ULTIMATE

Features: This lightweight quick change chuck and whip hose. Its application is ideal for small buffing jobs.



Free Speed.....3600rpm
Hose size.....3/8

Air Inlet.....1/4
Length.....200mm
Weight.....1 kg
Air Pressure.....90 psi

Model:UWG102

Wonder Gun

ULTIMATE

Features: This lightweight air blower and vacuum is designed for cars, trucks and the marine industry come with four attachments.



Hose size.....3/8
Air Inlet.....1/4
Weight.....0.50kg
Air Pressure.....90 psi

Model:UEP100

Engraving Pen

ULTIMATE

Features: This is a comfortable, easy to use tool for scribing, marking of products and tools for identification purposes. Will write on all metal, even hardened H.S steel, ceramics, plastic, glass and stone.



Hose size.....3/8
Feed Speed.....1500rpm
Air Inlet.....1/4
Length Hose.....1.5m
Weight.....0.25kg
Air Pressure.....90 psi

SPITZNAS

Spitzas air and hydraulic tools of Germany are world famous for their range of air tools suitable for use in hazardous areas such as coal mining



Stainless Steel Body
Suitable for Underground Mining



For more information on tools,
consumables and accessories.
Visit www.ultimatetools.com.au

ULTIMATE



Also available huge range of impact socket 1/4 through to 2-1/2" for more information please visit www.ultimatetools.com.au

YOUR **ULTIMATE** DISTRIBUTOR

www.ultimatetools.com.au